ThinkCentre M720 Tiny 10T7006ERU

Product

ThinkCentre M720q Tiny

Region

RUSSIA

Country/Region

Russia

Machine Type

10T7

TopSeller

TopSeller

Processor

Intel Core i3-8100T (4C / 4T, 3.1GHz, 6MB)

Chipset

Intel B360 Chipset

Graphics

Integrated Intel UHD Graphics 630

Memory

1x 8GB DDR4-2666

Storage

1x 1TB HDD 7200rpm 2.5"

Optane Memory

None

Optical

None

Speaker

1.5Wx1

Ethernet

Integrated 100/1000M

WLAN + Bluetooth

Intel 3165 11ac, 1x1 + BT4.2

Optional Rear Ports

1x VGA + 1x Serial

Chassis Intrusion Switch

Chassis Intrusion Switch

Kensington Cable Lock

None

Adapter Cage

None

Toolless Chassis Screw

Toolless Chassis Screw

Dust Filter

None

VESA Mount

VESA Mount

Color

Black

Stand

None

Keyboard

USB Traditional Keyboard, Black, Russian

Mouse

USB Calliope Mouse

Power Supply

65W 88% Adapter

TUV Low Noise

None

Monitor Cable

None

System Management

None

Operating System

Windows 10 Pro 64, Russian

Bundled Software

None

Base Warranty

3-year, Onsite

Bundled Service

None

EAN/UPC/JAN

0192940535473

End of Support

2024-07-26

Announce Date

2018-06-26

Recommended Services

Best

5Y Onsite upgrade from 3Y Onsite (5WS0D81042)

Rette

4Y Premier Support Upgrade from 3Y Onsite (5WS0T36207)

Good

3Y Premier Support Upgrade from 3Y Onsite (5WS0U26647)

WWW.LENOVO.COM

Lenovo may not offer the products, services or features discussed in this document in other countries. Lenovo may withdraw an offering at any time. Information is subject to change without notice. Consult your local representative for information on offerings available in your area.

Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors. Lenovo provides this publication "as is" without warranty of any kind, either express or implied, including the implied warranties of merchantability or fitness for a particular purpose.



https://psref.lenovo.com

Visit psref website for the latest version of Product Specifications Reference.
© Lenovo, 2020. All rights reserved.



ThinkCentre M720 Tiny Platform Specifications

Processor	Intel® Celoron® Intel 5	Pantium®	or 8th / Oth Can	Intol C	2re™ i2 / iE / ;7 / :4	9 Process	Managophility	None				
1.10069201	Intel® Celeron®, Intel Pentium®, or 8th / 9th Gen Intel Core™ i3 / i5 / i7 / i9 Processor Cores / Frequency Cooks Memory Support Integrated						Security chip	None Discrete TPM 2.0, TC	G Certified			
	Processor	Threads	Frequency Base/Max(GHz)	Cache	Memory Support (Up to)	Graphics	Security features	• Security slot (in rea	r for optional	Boot sequence control		
	Celeron G4900T	2/2	2.9G	2 MB	DDR4-2400	UHD 610		 Kensington® MicroSaver® cable) Chassis intrusion switch Power-on password Boot without keyboard and monomer in the light of the light o		yboard and mouse		
	Pentium Gold G5400T	2/4	3.1G	4 MB	DDR4-2400	UHD 610						
	Pentium Gold G5500T	2/4	3.2G	4 MB	DDR4-2400	UHD 630		 Power-on password Administrator password 		mouse only bloo	cks all storage devices	
	Core i3-8100T	4/4	3.1G	6 MB	DDR4-2400	UHD 630		Hard disk password				
	Core i3-8300T	4/4	3.2G	8 MB	DDR4-2400	UHD 630	Keyboard	Some: Lenovo Callic	pe Keyboard (US	B connector), black	(
	Core i5-8400T	6/6	1.7G / 3.3G	9 MB	DDR4-2666	UHD 630	,	Some: Lenovo Tradit	ome: Lenovo Traditional Keyboard (USB connector), black ome: Lenovo Calliope Wireless Keyboard (2.4GHz via USB receiver), black			
	Core i5-8500T	6/6	2.1G / 3.5G	9 MB	DDR4-2666	UHD 630	Mouse	Some: Lenovo Callic				
	Core i5-8600T	6/6	2.3G / 3.7G	9 MB	DDR4-2666	UHD 630		Some: Lenovo Calliope Mouse (USB connector), black Some: Lenovo Fingerprint Mouse (USB connector), Windows Hello support, bl Some: Lenovo Calliope Wireless Mouse (2.4GHz via USB receiver), black			lows Hello support black	
	Core i7-8700T	6/12	2.4G / 4.0G	12 MB	DDR4-2666	UHD 630					3 receiver), black	
	Core i3-9100T	4/4	3.1G / 3.7G	6 MB	DDR4-2400	UHD 630		Tiny (1L), black color	•			
	Core i3-9300T	4/4	3.2G / 3.8G	8 MB	DDR4-2400	UHD 630		 Toolless chassis open (need optional toolless chassis screw) Toolless HDD, SSD, memory removal 			crew)	
	Core i5-9400T	6/6	1.8G / 3.4G	9 MB	DDR4-2666	UHD 630					-	
	Core i5-9500T	6/6	2.2G / 3.7G	9 MB	DDR4-2666	UHD 630		 Optional dust filter Ope 2.5" hav for HDD 	/SSD and DOI- 0	3 0 v8 alot /law	ile) two M.O oloto /	
	Core i5-9600T	6/6 8/8	2.3G / 3.9G 2.0G / 4.3G	9 MB	DDR4-2666 DDR4-2666	UHD 630 UHD 630		one 2.5" bay for HDD/SSD, one PCle 3.0 x8 slot (low-profile), two for WLAN, one for M.2 SSD), 2.5" HDD/SSD and PCle card are m				
	Core i7-9700T Core i9-9900T	8/8	2.0G / 4.3G 2.1G / 4.4G	12 MB 16 MB	DDR4-2666 DDR4-2666	UHD 630		, <u>_</u> , one for ivi.				
			•			סטט חווט 090		Time and		ns (WxDxH)	Weight (Approx.)	
Memory	32GB max, DDR4-266 dual-channel capable							Tiny only	179mm X 18	7.2" X 1.5" 33mm X 37mm	2.91 lb (1.32 kg), vary by config	
		em automatically clocks down for the processors with lower memory controller]	With VESA mount &		.30" X 2.48"	3.66 lb (1.66 kg),	
Storage	Some: DVD-ROW, SIIM (9.0mm), via USB external ODD box Some: DVD Burner (DVD±RW), SIIM (9.0mm), via USB external ODD box							ODD box	188.4mm X 18t	5.38mm X 63mm	vary by config	
								Optional VESA mount bracket kit, supports VESA 75mm and 100mm Optional system floor stand for vertical orientation Some: 65 watts AC/DC adapter, autosensing, 88% PSU Some: 90 watts AC/DC adapter, autosensing, 88% PSU Some: 135 watts AC/DC adapter, autosensing, 88% PSU				
							1 loor Starid					
Optical												
•												
Onboard SATA	One onboard SATA 6.0							1 2				
Graphics	DisplayPort™, one HDMI, one optional video port (2nd HDMI, VGA, 2nd DP,							Some: 1-year or 3-year, depot service / service upgrades available				
								Preloaded operating				
								Some: Windows® 10 Some: Windows 10	7) Pro 64-bit Home 64-bit			
								Preloaded application		isted)		
Monitor cable								Lenovo Vantage				
Chipset								 Microsoft Office pre 				
	·	hwove O	and fact -l-	\	ICD 0 1 Tr 0 0	1	 purchase a product key to activate Cyberlink PowerDVD (only for models with DVD / DVD±RW) Cyberlink Power2GO (only for models with DVD±RW) 			R/M/)		
From ports" (Std.)	one USB 3.1 Gen1 (A											
Rear ports* (Std.) 2x USB 3.1 Gen2, 2x USB 3.1 Gen1, 1x ethernet (RJ-45), 1x DisplayPort, 1x HDMI Rear ports* (Opt.) Two optional ports (mutually exclusive with PCIe card): Port 1 for VGA / 2nd DP / Environment												
									ating (North America	a), ErP Lot 3. TCO.		
	2nd HDMI / serial / USB 3.1 Type-C Gen 1 with DP function); Port 2 for serial; Optional ports via PCIe card: 2x USB 3.1 Gen1 via PCIe x1, 4x serial (9-pin) via PCIe x1							TUV ultra low noise verified (coming soon, on some models), RoHS-compliant				
							MIL-SPEC test	MIL-STD-810G milita	ry certification (Lo	ow Pressure [Altitud	de], High Temperature,	
	* Depending on many factors, actual data transfer speed may be lower than theoretical speed						Low Temperature, Ter	mperature Shock,	Humidity, Sand an	d Dust, Vibration, Shock,		
Audio support								Fungus, Solar Radiat				
WLAN	LAN Some: 11ac wireless, M.2 Card, Realtek RTL8821CE (dual band), Wi-Fi + Bluetooth 4.2 combo adapter, 1x1 Some: 11ac wireless, M.2 Card, Realtek RTL8822BE (dual band), Wi-Fi + Bluetooth 4.2 combo adapter, 2x2 Some: 11ac wireless, M.2 Card, Intel Dual Band Wireless-AC 3165, Wi-Fi + Bluetooth 4.2 combo adapter, 1x1 Some: 11ac wireless, M.2 Card, Intel Dual Band Wireless-AC 8265, Wi-Fi + Bluetooth 4.2 combo adapter, 2x2						Accessories	For compatible accessories, please go to http://smartfind.lenovo.com				
Bluetooth	Some: Bluetooth 4.2	wireless,	integrated in Wi-	·Fi + BT	combo adapter							
Ethernet (Opt.)	Gigabit ethernet, Intel Some: Intel Ethernet S	Ethernet	Connection I21	J-V (Jac	cksonville), Wake	on LAN®						
Laterner (Opt.)	Joine. Intel Ethernet S	PELVEL A	μαρι ο ι 1000-14, ξ	ıyavıl e	memer, 4x MJ-4t	2, 1 OIE X4		•		1		











