

Lenovo V530-22ICB AIO 10US00MERU

Product

Lenovo V530-22ICB AIO

Region

RUSSIA

Country/Region

Russia

Machine Type

10US

TopSeller

TopSeller

Processor

Intel Core i3-9100T (4C / 4T, 3.1 / 3.7GHz, 6MB)

Chipset

Intel B360

Graphics

Integrated Intel UHD Graphics 630

Memory

1x 4GB DIMM DDR4-2666

Storage

1x 256GB SSD 2.5" SATA6Gb/s

Optane Memory

None

Optical

9.0mm DVD±RW

Media Reader

3-in-1 Card Reader

Display

21.5" FHD (1920x1080) IPS

Touchscreen

None

Microphone

Mono

Ethernet

Integrated 100/1000M

Camera

720p

VESA Mount

VESA Mount

WLAN + Bluetooth

Intel 3165 11ac, 1x1 + BT4.0

Stand

Monitor Stand

Color

Black

Keyboard

USB Calliope Keyboard, Black, Russian

Mouse

USB Calliope Mouse, Black

Power Supply

90W 88% Adapter

Operating System

Windows 10 Pro 64, Russian

Bundled Software

None

Base Warranty

1-year, Onsite

Bundled Service

None

End of Support

2025-09-06

Announce Date

2019-08-06

Recommended Services**Best**

3Y Onsite upgrade from 1Y Onsite (5WS0D81118)

Better

4Y Premier Support Upgrade from 1Y Onsite (5WS0T36112)

Good

3Y Premier Support Upgrade from 1Y Onsite (5WS0T36111)



WWW.LENOVO.COM

Lenovo may not offer the products, services or features discussed in this document in other countries. Lenovo may withdraw an offering at any time. Information is subject to change without notice. Consult your local representative for information on offerings available in your area.

Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors.

Lenovo provides this publication "as is" without warranty of any kind, either express or implied, including the implied warranties of merchantability or fitness for a particular purpose.



<https://psref.lenovo.com>

Visit psref website for the latest version of Product Specifications Reference.

© Lenovo, 2020. All rights reserved.



Lenovo™

Lenovo V530-22ICB AIO Platform Specifications

Product Specifications Reference (PSREF)

| | | | | | | | | | | |
|--------------------|--|-----------------|-------------------------|-------|------------------------|---------------------|---------------------|--|--|--|
| Processor | Intel® Celeron®, Pentium® Gold, 8th or 9th Generation Intel Core™ i3 / i5 / i7 Processor | | | | | | WLAN | Some: 11ac wireless, M.2 Card, Realtek RTL8821CE (dual band), Wi-Fi + Bluetooth 4.0 combo adapter, 1x1 Some: 11ac wireless, M.2 Card, Realtek RTL8822BE (dual band), Wi-Fi + Bluetooth 4.0 combo adapter, 2x2 Some: 11ac wireless, M.2 Card, Intel Dual Band Wireless-AC 3165, Wi-Fi + Bluetooth 4.0 combo adapter, 1x1 Some: 11ac wireless, M.2 Card, Intel Dual Band Wireless-AC 8265, Wi-Fi + Bluetooth 4.0 combo adapter, 2x2 Some: Bluetooth 4.0 wireless, integrated in Wi-Fi + Bluetooth combo adapter One gigabit ethernet port, Realtek RTL8111G, Wake on LAN® | | |
| | Processor | Cores / Threads | Frequency Base/Max(GHz) | Cache | Memory Support (Up to) | Integrated Graphics | Bluetooth™ Ethernet | None | | |
| | Celeron G4900T | 2 / 2 | 2.9G | 2 MB | DDR4-2400 | UHD 610 | Manageability | Firmware TPM 2.0 | | |
| | Celeron G4930 | 2 / 2 | 3.2G | 2 MB | | | Security chip | None | | |
| | Pentium Gold G5400T | 2 / 4 | 3.1G | 4 MB | | | Security features | ● Security slot (in rear for attachment of optional Kensington® MicroSaver® cable; Kensington lock also locks back cover) ● Power-on, admin, hard disk password ● Boot sequence control ● Individual USB port disablement ● Smart USB protection, allows keyboard/mouse only, blocks all storage devices | | |
| | Pentium Gold G5420T | 2 / 4 | 3.2G | 4 MB | | | | | | |
| | Core i3-8100T | 4 / 4 | 3.1G | 6 MB | | | | | | |
| | Core i3-9100T | 4 / 4 | 3.1G / 3.7G | 6 MB | | | | | | |
| | Core i5-8400T | 6 / 6 | 1.7G / 3.3G | 9 MB | | | | | | |
| | Core i5-8500T | 6 / 6 | 2.1G / 3.5G | 9 MB | | | | | | |
| | Core i5-9400T | 6 / 6 | 1.8G / 3.4G | 9 MB | DDR4-2666 | UHD 630 | | | | |
| | Core i7-8700T | 6 / 12 | 2.4G / 4.0G | 12 MB | | | | | | |
| Memory | 32GB max, DDR4-2666*, two 260-pin SO-DIMM sockets, dual-channel capable * System clocks down for the processors with lower memory controller | | | | | | Keyboard | Some: Lenovo Calliope Keyboard (USB connector), black or white optional Some: Lenovo Calliope Wireless Keyboard (2.4GHz via USB receiver), black Some: Lenovo Calliope Mouse (USB connector), black Some: Lenovo Calliope Wireless Mouse (2.4GHz via USB receiver), black Some: Lenovo Fingerprint Mouse (USB connector) for Win10 Hello (with Calliope USB Keyboard), black | | |
| Disk | Some: Hard Drive / SATA 6.0Gb/s, 2.5", 7200 rpm Some: Hard Drive / SATA 6.0Gb/s, 2.5", 5400 rpm Some: M.2 Solid State Drive (SSD) / PCIe NVMe, PCIe 3.0 x 4 | | | | | | Mouse | | | |
| Optane™ Memory | Optional 16GB Intel Optane Memory (not support Celeron / Pentium Processor), M.2 | | | | | | Mechanical | ● Black or white ● Support VESA mount (100mm) | | |
| Optical (Optional) | DVD Burner (DVD±RW), tray-in, slim (9.0mm) | | | | | | | | | |
| Media reader | 3-in-1 card reader (SD, SDHC, SDXC) | | | | | | | | | |
| Graphics | Intel UHD Graphics 610/630 in processor, uses main memory, DirectX® 12, and optional AMD Radeon™ 530 GDDR5, 2GB memory, external monitor support via HDMI out Max resolution: 1920x1080 (HDMI)@60Hz | | | | | | | | | |
| Display | 21.5" (546.1mm), FHD (1920x1080), Wide Viewing Angle (horizontal: +/- 89°; vertical: +/- 89°), LED backlight, IPS, 250 nits, 16:9 aspect ratio, 1000:1 contrast ratio, anti-glare, borderless design, work as standalone monitor via HDMI in | | | | | | | | | |
| Multi-touch | Optional multi-touch (10-point), Advanced In-Cell Touch (AIT) technology | | | | | | | | | |
| Camera (Optional) | 720p camera, with one digital microphone, LED indicator, with privacy camera cover | | | | | | | | | |
| Controls | Power on/off button on right side | | | | | | | | | |
| Chipset | Intel B360 chipset | | | | | | | | | |
| Rear ports* | One USB 3.1 gen 2, three USB 2.0, ethernet (RJ-45), HDMI-in, HDMI-out, DC-in | | | | | | Power supply | Some: 90 watts external adapter, autosensing, 88% PSU (for integrated models) Some: 120 watts external adapter, autosensing, 89% PSU (for discrete models) | | |
| Side ports* | One USB 3.1 gen 1 | | | | | | Limited warranty | Some: 1-year, depot repair service Some: 1-year or 3-year, limited onsite service | | |
| Bottom ports* | One USB 3.1 gen 1, card reader, headphone / microphone combo jack (3.5mm) * Depending on many factors, actual data transfer speed may be lower than theoretical speed. | | | | | | Preload | Preloaded operating system Some: Windows 10 Pro 64-bit Some: Windows 10 Home 64-bit Preloaded applications (only some listed) ● Lenovo Vantage ● Lenovo App Explorer ● McAfee® LiveSafe™ (30-day trial) ● Microsoft® Office preloaded; purchase a product key to activate | | |
| M.2 card slot | Two M.2 Card slots (one for WLAN, one for M.2 SSD) | | | | | | Environment | ENERGY STAR® 6.0; Low blue light certified; EPEAT™ Silver compliant; | | |
| Audio support | High Definition (HD) Audio, Realtek ALC274-VB / Conexant CX20726, two internal speakers (3W x 2) | | | | | | Accessories | For compatible accessories, please go to http://smartfind.lenovo.com/ | | |

Note: The specifications above may not be available in all regions.

Lenovo
September 2019

Lenovo

Lenovo V530-22ICB AIO

